



Contract Floor Coverings >

DELIVERING INTERIOR SOLUTIONS

Contract Floor Coverings

CPD Distribution plc is the leading distributor of specialist interiors products to the construction industry. A network of branches offers an unrivalled product portfolio. This range is now enhanced with the addition of a wide selection of contract floor coverings, available from stock or on rapid delivery lead times.

The CPD Contract Floor Coverings range includes a selection of the most popular, high quality and hard wearing carpet tiles plus practical, heavy contract fibre bonded sheets and tiles for entrance areas.

Formation is a firm favourite that offers excellent value for money without compromising on quality. Available in a choice of 19 colours, the range sets the benchmark for performance with a competitive edge. This is complemented by Generation 24, New Vocation and Precision 24 which offer stylish design and colour options.

All of these products, plus the entrance sheets and tiles in this brochure, are heavy contract quality and are ideal for use in office, retail, education, healthcare and hospitality applications, particularly where long life and heavy wear resistance are paramount. A sampling service is available on these and a much wider range of products, which can be supplied to order. Ask at your local CPD branch for further details.

More Than Just Ceilings

Contract Floor Coverings complement the many product ranges that CPD Distribution offer throughout its nationwide branch network, delivering interior solutions to specialist fit-out contractors.

CPD is the UK's largest distributor of suspended ceiling systems, but also provides a comprehensive range of other products including Tenon Partitions, Tenon Washrooms, Speedline Drywall and Raised Access Floors, offering a single source solution for all types of interior fit-out projects.



Contents

Formation	4	LobbyTile	12
Generation 24	6	New Drever and Stockade	13
Precision 24	8	Conversion Chart and Guide Prices	14
New Vocation	10	Terms & Conditions of Sale	15
EntryTile	11		

Benefit



Meets requirements of GUT standard



Branded yarn by Aquafil

Application



Education



Hospitality



Retail



Office

Performance



Castor chair
Passes castor chair test - as suitable for continuous use



Static Electricity
Product generates less than 2KV when walked upon



Flammability
Passes minimum requirements for commercial use



Products can be used over underfloor heating, with a maximum surface temperature of 27°C



Tiles can be laid monolithic (broadloom)



Tiles can be laid chequerboard

Environmental

envirolite

Tiles with pure hydrocarbon backing, suitable for recycling

envirolite[®]

CPD Distribution is committed to offering products that reduce the impact on the environment. envirolite[®] is available on several carpet tiles and offers the same high performance as standard tile backing, with several additional benefits:

- Fully Recyclable - reduces landfill
- 100% pure hydro-carbon
- Low odour and emissions
- Reduced levels of toxic fumes
- Does not mark skirting boards or clothing
- Excellent dimensional stability and anti-static performance
- Easy to cut
- 10% lighter than standard tile backing, easier to handle and transport
- Flexible even below freezing

Available on the following products: *Generation 24 page 6 and Precision 24 page 8*

Formation ▶



Formation loop pile carpet tile offers excellent value for money, without compromising on quality. Available in 19 colours, Formation has been installed in thousands of locations and has become a firm favourite amongst flooring contractors. The linear range is available in 8 colour combinations.


Specification	
Grading	Heavy Contract
Tuft Density	169000 per m ²
Fibre Content	100% Meraklon Polypropylene
Pile Weight	550g/m ²
Total Weight	4400g/m ²
Pile Height	3.50mm
Tile Backing	Mexphalte
Performance	
Static	Stroll Test Electrical Resistance: IBM/ICL
Flammability	Hot Metal Nut: BS 4790 assessed to BS 5287 Radiant Panel: BS EN ISO 9239-1 assessed to BS EN 13501-1 Class E _{fl} -s1
Dimensional Stability	DIN 54318
Castor Chair	BS EN 985 (We always recommend castor chair mats)
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



THE RANGE



Amethyst



Anthracite



Aubergine



Beige



Blue



Indigo



Jade



Light Blue



Light Grey



Sage



Brick



Crimson



Fawn



Forest Green




Granite




Sand



Smoke



Spice



Taupe

THE LINEAR RANGE



Cloudburst



Gemstone



Heather



Lavender




Ocean



Riverside



Turquoise



Woodland

Generation 24 ▶



A combination of Alto Chroma solution dyed nylon yarn and a high tuft density makes Generation 24 one of the most versatile cut pile carpet tiles around.

Specification	
Grading	Heavy Contract
Tuft Density	158000 per m ²
Fibre Content	100% Alto Chroma Solution Dyed Nylon
Pile Weight	750g/m ²
Total Weight	4750g/m ²
Pile Height	3.90mm
Total Height	7.50mm
Secondary Backing	Mexphalte
Performance	
Static	BS EN 1307 N 4-LC2
Flammability	Stroll Test Electrical Resistance: ISO 10965 Radiant Panel: BS EN ISO 9239-1 assessed to BS EN 13501-1 Class C _{fl} -s1 Radiant Panel: DIN 4102 B1 Hot Metal Nut: BS 4790 assessed to BS 5287
Dimensional Stability	BS EN 986
Castor Chair	BS EN 985 (We always recommend castor chair mats)
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



Ω10⁺



THE RANGE



Barley



Claret



Cloud Grey



Coffee



Corn



Haze



Light Blue



Light Green



Light Grey



Mist



Slate



Stone



Sunset



Wheat



Crimson



Dark Blue



Dark Green



Evening Blue



Granite



Nutmeg



Red



Shadow



Sherbet



Sky Blue

envirolite[®]
backing also available

Precision 24 ▶



A combination of Alto Chroma solution dyed nylon yarn and a high tuft density makes Precision 24 one of the most versatile loop pile carpet tiles around. Available in 24 exciting colours. Selected colours * are available as broadloom carpet. Also available on Envirolite backing.


Specification	
Grading	Heavy Contract
Tuft Density	147750 per m ²
Fibre Content	100% Alto Chroma Solution Dyed Nylon
Pile Weight	615g/m ²
Total Weight	4585g/m ²
Pile Height	3.00mm
Tile Backing	Mexphalte
Performance	
Static	BS EN 1307 N 4-LC2 Stroll Test Electrical Resistance: ISO 10965
Flammability	Radiant Panel: BS EN ISO 9239-1 assessed to BS EN 13501-1 Class C _{f1} -s1 ASTM E648 Hot Metal Nut: BS 4790 assessed to BS 5287
Castor Chair	BS EN 985 (We always recommend castor chair mats)
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



THE RANGE



Barley




Claret



Cloud Grey




Coffee




* Corn



* Crimson




* Dark Blue



* Dark Green



Evening Blue



Granite



Nutmeg



* Red



Shadow



Sherbet



Sky Blue



* Haze



* Light Blue



* Light Green



* Light Grey




* Mist



* Slate



Stone



* Sunset



Wheat

envirolite[®]
backing also available

* COLOURS AVAILABLE
AS BROADLOOM

New Vocation ▶




New Vocation is a stylish loop pile carpet tile designed to meet the requirements of the modern office environment. The use of space dyed nylon yarn creates a dynamic colour palette that is excellent for soil hiding.

Specification	
Grading	Heavy Contract
Tuft Density	177000 per m ²
Fibre Content	100% Aquafil Space Dyed Nylon
Pile Weight	550g/m ²
Total Weight	4300g/m ²
Pile Height	2.70mm
Tile Backing	Mexphalte
Performance	
Static	BS EN 1307 N 4-LC1
Stroll Test	Stroll Test
Electrical Resistance	IBM/ICL
Flammability	Radiant Panel: ASTM E648 Hot Metal Nut: BS 4790 assessed to BS 5287
Dimensional Stability	BS 4682
Castor Chair	BS EN 985 (We always recommend castor chair mats)
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



THE RANGE



Apex




Canmore Blue



Cypress Green



Georgian Grey




Grouse Mountain




Kimberley Blue




Manning Grey



Phoenix Blue



Salmo Plum



Seymour Red



Silverton Grey




Summit Fern

Entry ▶ Tile ▶



100% polypropylene fibre bonded entrance tiles with superb wear quality.



Specification

Grading	Heavy Contract
Fibre Content	100% Polypropylene
Pile Weight	1500g/m ²
Total Weight	5760g/m ²
Pile Height	4.50mm
Total Height	11.50mm
Tile Backing	Mexphalte

Performance

Static	Stroll Test
Flammability	Hot Metal Nut: BS 4790 assessed to BS 5287
Dimensional Stability	BS 4682
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



THE RANGE



Anthracite



Beige



Denim



Forest Green



Indy Blue




Red



Sisal



Steel



Tobacco

Lobby Tile



100% polypropylene fibre bonded entrance tiles with superb wear quality.

Specification

Grading	Heavy Contract
Fibre Content	100% Polypropylene
Pile Weight	1500g/m ²
Total Weight	5820g/m ²
Pile Height	4.00mm
Total Height	11.00mm
Tile Backing	Mexphalte

Performance

Static	Stroll Test
Flammability	Hot Metal Nut: BS 4790 assessed to BS 5287
Dimensional Stability	BS 4682
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



THE RANGE




Anthracite



Beige



Denim



Forest Green



Indy Blue



Red



Sisal



Steel



Tobacco

New Drever & Stockade Sheet

New Drever is a heavy contract structured fibre bonded 2m sheet with a gel rubber backing, making it suitable for use in entrance areas. The same colours are also available as Stockade sheet, which has a linear design.



Specification

Grading	Heavy Contract
Fibre Content	100% Polypropylene
Pile Weight	1400g/m ²
Total Weight	2000g/m ²
Total Height	10.00mm
Secondary Backing	Gel Rubber

Performance

Flammability	Hot Metal Nut: BS 4790 assessed to BS 5287
Colour Fastness	EN ISO 105 to light (B02), water (E01), wet and dry rubbing (X12)



NEW DREVER RANGE



Blue



Brown



Charcoal



Cognac



Dark Blue



Grey



Jade



Natural



Red

STOCKADE RANGE



Blue



Brown



Charcoal



Cognac



Dark Blue



Grey



Jade



Natural



Red

Conversion Chart

Square Measure	Multiplying Factor	Linear Measure	Multiplying Factor
Square Metres to Square Yards	1.196	Linear Metres to Linear Yards	1.094
Square Metres to Square Feet	10.764	Linear Metres to Linear Feet	3.281
Square Yards to Square Metres	0.863	Linear Metres to Linear Inches	39.370
Square Feet to Square Metres	0.093	Linear Millimetres to Linear Inches	0.039
e.g. 10 square yards = 8.36 square metres 10 square metres = 11.96 square yards		Linear Yards to Linear Metres	0.914
		Linear Feet to Linear Metres	0.305
		Linear Inches to Linear Millimetres	25.400
		e.g. 10 linear yards = 9.14 linear metres 10 linear metres = 10.94 linear yards	

Metric Price Conversion Chart

Price Per Unit	Multiplying Factor	Price Per Unit	Multiplying Factor
Price per Square Yard to Price per Square Metre	1.196	Price per Square Metre to Price per Square Yard	0.836
Price per Linear Yard to Price per Linear Metre	1.094	Price per Linear Metre to Price per Linear Yard	0.914
Price per Linear Foot to Price per Linear Metre	3.281	Price per Linear Metre to Price per Linear Foot	0.305

NOTE: It should be understood that the conversion factors shown are correct only to three decimal places and that while these are satisfactory for general purposes they should not be considered sufficiently accurate when working in very large quantities or high numbers.

Guide Price 2008/09

Product	Price m ²	Pack Quantity
Formation & Linear loop pile carpet tile (50 x 50 cm)	£13.24	5m ²
New Vocation loop pile carpet tile (50 x 50 cm)	£17.72	5m ²
Precision 24 loop pile carpet tile (50 x 50 cm)	£15.60	5m ²
Generation 24 cut pile carpet tile (50 x 50 cm)	£20.40	5m ²
Entry & Lobby entrance tiles (50 x 50 cm)	£15.16	3m ²
Stockade & New Drever entrance 2 metre wide sheet	£10.38	2 metre width

Tackifier	5 litres	15 litres	25 litres	Coverage (approx)
Mapei EcoTack	–	£47.11 (15kg)	–	200m ² per 15 litre
FBall – F4I	£16.17	–	£79.19	7m ² per litre
Laybond 79	£19.55	£49.39	£83.60	7m ² per litre

Screed	Size	Price	Coverage (approx)
Mapei Latexplan	25kg Powder	£6.70	6m ² @ 3mm thick
	5.5kg liquid	£9.65	
Latexplan Trade	25kg Powder	£5.67	6m ² @ 3mm thick
	5.5kg liquid	£8.24	
FBall - F3	5 litre	£10.87	3m ² per litre
	15 litre	£28.29	

Project Price Over 1000m²

Terms and Conditions of Sale

1. DEFINITION

In these conditions the Seller shall mean CPD Distribution Plc acting as agent for SIG Trading Ltd and the Customer shall mean the other party to this contract, referred to hereafter as the Customer. The Goods shall mean the products supplied by the Seller and the Contract Price shall mean the price of the Goods invoiced by the Seller in accordance with condition Number 3 of these conditions.

2. APPLICATION

2.1 All Goods supplied by the Seller are supplied subject to these conditions unless they are varied by an agreement in writing between the authorised representatives of the Seller and the Customer.

2.2 The Seller's employees or agents are not authorised to make any representations concerning the Goods unless confirmed by the Seller in writing. In entering into the Contract the Customer acknowledges that it does not rely on, and waives any claim for breach of any such representations which are not so confirmed.

2.3 The Seller does not manufacture the Goods and is, accordingly, unable to advise the Customer on the fitness of the Goods for any particular purpose, unless the Seller gives written advice or a written recommendation, the Customer is entirely responsible for satisfying itself that the Goods are fit for the intended use either by relying on their own expertise or by obtaining professional advice.

2.4 Any advice or recommendation given by the Seller or its employees or agents to the Customer or its employees or agents as to the storage, application or use of the Goods which is not confirmed in writing by the Seller is followed or acted upon entirely at the Customer's own risk, and accordingly the Seller shall not be liable for any such advice or recommendation which is not so confirmed.

3. PRICES

3.1 The price payable for the Goods shall be the Contract Price plus any adjustment necessary to take account of any increase in costs incurred by the Seller prior to the date of despatch. Delivery charges and other expenses incurred by the company may be added to the invoice, together with the addition of VAT.

3.2 Split deliveries as to time or destination are liable to surcharge.

3.3 Value Added Tax will be charged at the rate ruling at the date of supply.

4. DELIVERY

4.1 The Seller shall deliver the Goods to the Customer's premises or the Customer shall collect the Goods from the Seller's premises, whichever is applicable, on or by the date or dates agreed. By agreement between the parties the seller may deliver the Goods and/or perform the Services or the Customer may collect the Goods at an earlier time.

4.2 Where the Seller is to deliver Goods delivery will be to as near to the place in mainland Britain where the Purchaser requires delivery to be made as, in the discretion of the Seller, a safe, hard road permits.

4.3 The Customer shall be solely responsible for the unloading of the Goods if the Seller has delivered the Goods or for the loading of the Goods if the Customer is collecting the Goods and the Seller shall not be liable for any damage that occurs in the course of such loading or unloading.

4.4 In the event that such loading or unloading exceeds a period of 1 hour then demurrage may be charged.

4.5 If the Customer fails to collect the Goods or fails to give the Seller adequate delivery instructions at the time stated for delivery (otherwise than by reason or any cause beyond the Customer's reasonable control or by reason of the Seller's fault) then, without prejudice to any other right or remedy available to the Seller, the Seller may make provision for the storage of the Goods until actual recovery, and the Customer shall be responsible and shall indemnify the Seller for the reasonable costs, including insurance, of such storage.

4.6 Any date of delivery or period for delivery given is an estimate only and the Company will not be liable for any delay of the Goods.

4.7 If the Customer shall require proof of delivery or collection any such request for proof shall be notified in writing within 30 days of the date

5. TITLE AND RISK

5.1 Risk in the Goods shall pass to the Customer on delivery.

5.2 Notwithstanding delivery and the passing of risk in the Goods, the Goods shall remain the sole and absolute property of the Seller until such a time as the Customer shall have paid to the Seller in cash or cleared funds the purchase price of the Goods, together with the full price of any other goods the subject of any other contract between the seller and the Customer.

5.3 The Customer acknowledges that until such a time as the Customer becomes the owner of the Goods, the Customer is in possession of the Goods solely as fiduciary agent and bailee for the Seller and the Customer will store, protect and insure the Goods on its premises separately from its own goods or those of any other person and in a manner which makes them readily identifiable as the Goods of the Seller.

5.4 Subject to the terms hereof, the Customer is licensed to re-sell or use the Goods in the ordinary course of its business any sale of the Goods shall take place as bailee for the Seller and that the entire proceeds of sale are held in trust for the Seller and are not mingled with other monies or paid into any overdrawn bank account.

5.5 The Buyer's right to possession of the Goods shall cease if the provisions of Condition 9 shall apply to the Customer.

5.6 If payment for the Goods is overdue in whole or in part the Seller may, without prejudice to any other rights and remedies, recover and/or sell the Goods or part thereof and shall be entitled to enter upon the Customer's premises or site for that purpose.

6. RETURNS

6.1 Goods returned at the Customer's request not on the Company's own vehicle shall be at the Customer's risk regarding insurance for a value not less than the full invoice price.

6.2 Specifically ordered or non-stock items are not returnable.

6.3 Costs of collection and re-delivery of replacement items will be met by the Customer unless attributable to the negligence of the Seller.

6.4 Only goods returned in saleable condition can be accepted for credit.

6.5 The Seller reserves the right to levy a restocking and handling charge.

6.6 All returns must be sanctioned by the Seller prior to goods being brought back.

7. CLAIMS

7.1 Any claims in respect of alleged shortages or damage must be notified to the Seller in writing within three days of delivery. Evident damage to external packing must be the subject of an endorsement on the Seller's delivery note at the time of delivery.

8. PAYMENT

8.1 Unless otherwise agreed, payment shall be due by the end of the month following the month of issue of the invoice. Failure to observe these terms may result in cancellation of credit facilities.

8.2 In the event of non-payment within the time stipulated, a charge of 2% per month of the invoice price, will be due from the Customer from the date when payment was due until the date of actual payment. (Whether before or after judgement).

8.3 The Seller shall be under no obligation to make any delivery if the Customer is in breach of any of these Conditions of Trading.

8.4 The Seller shall at any time be entitled to deduct from or set off against monies payable by it to the Customer such sums which the Customer owes the Seller.

8.5 The Customer may only deduct from or set-off against monies payable by it to the Seller such sums which the Seller owes the Customer if the Seller has agreed in writing to such deduction or set-off and the amount thereof.

8.6 The Seller shall be entitled to invoice the Customer for the price of the Goods on or at any time after acceptance of the order or the date for delivery of the Goods or the date for collection of the Goods.

8.7 The Customer shall pay the price of the Goods within the terms of the Seller's invoice notwithstanding that delivery or collection of the Goods may not have taken place or that property in any Goods had not passed to the Customer.

8.8 Non payment on a due date will entitle the Company to demand payment of all outstanding balances under the Contract or any other Contract between the Seller and the Customer whether due or not and/or cancel any outstanding orders without prejudice to any other rights it may have.

9. DEFAULT OR INSOLVENCY OF CUSTOMER

9.1 This condition applies if:-

9.1.1 The Customer is in breach of any of its obligations under these Conditions; or

9.1.2 The Customer has a receiving order in bankruptcy made against him or makes any arrangement with his creditors or, being a Company, has a receiver, liquidator, administrator, supervisor or administrative receiver appointed over its property or assets or any part of them or if any order shall be made or any resolution passed for winding up the Customer; or

9.1.3 The Customer ceases, or threatens to cease, to carry on business; or

9.1.4 The Seller reasonably considers that any of the events mentioned above will occur.

9.2 If this condition applies then the Seller may, without prejudice to its other rights or remedies, demand immediate payment by the Customer of all unpaid accounts and suspend further deliveries and cancel this and any other contract between the Seller and the Customer without any liability attaching to the Seller in respect of such suspension or cancellation and debit the Customer with any loss sustained thereby.

10. GUARANTEE

10.1 The Seller undertakes (at its option) to repair or replace free of charge any Goods which are shown to be defective in materials or workmanship within 12 months of delivery.

10.2 The Seller shall be under no liability under Condition 10.1 if:-

10.2.1 The Customer has not paid in full for the Goods; or

10.2.2 The Customer has executed or attempted to execute repairs or alterations to the Goods which are not authorised by the Seller; or

10.2.3 The Seller has not been notified of any defect in the Goods within one month of the defect becoming apparent.

11. EXCLUSION OF LIABILITY

11.1 The Seller's guarantee is provided by the Seller and accepted by the Customer in substitution for all express or implied representations, conditions and warranties (statutory or otherwise) as to the state, quality, fitness for purpose or performance of the Goods.

11.2 Except for any liability which it may incur for death or personal injury resulting from the Seller's negligence, the Seller shall not be liable in any way whatsoever whether in contract, in tort, in misrepresentation or otherwise for any consequential or other loss, damage or injury, however caused which may arise out of or in connection with the supply of the Goods.

11.3 The Seller's liability under these conditions shall be limited to the Contract Price.

11.4 In no circumstances shall the Seller have any liability whatsoever for any advice or design provided to the Customer, unless the same is in writing on the Seller's headed paper following receipt of a suitable written specification from the Customer. The Customer shall be responsible for checking and confirming that details of materials estimated by the Seller are correct and no responsibility shall be taken by the Seller for errors in quantities provided by it. Manufacturers specifications and product details will be supplied at the request of the Customer, but the Seller will accept no liability for errors or misstatements contained therein. In no circumstances does the Seller undertake any liability for checking or approving the specification for the Goods provided by the Customer.

12. RESERVATIONS

12.1 The Seller reserves the right to vary deliveries and to make deliveries by instalments as it may deem necessary having regard to availability of supplies and changes in manufacturers specification.

12.2 Each delivery of goods to the Customer shall constitute a separate contract to which these conditions shall be applied.

13. LEGAL

13.1 The Customer agrees that no oral representations have induced him to enter into the contract or form any part thereof. Furthermore, the conditions of the Customer's purchase order shall not form part of the Contract unless expressly agreed by the Seller in writing.

13.2 This Contract shall be governed by the Law of England and the Customer hereby agrees to submit to the jurisdiction of the Courts in Sheffield to which all disputes hereunder shall be referred.

13.3 The Seller shall not be in breach of contract if the performance of the contract is delayed or otherwise affected by circumstances beyond the reasonable control of the Seller. In particular, no liability shall rest with the Seller in respect of any late deliveries or failure to deliver arising from shortage of supplies or transportation delays beyond its control.

14. Invoicing By Email

The Seller has the right to invoice the customer by e-mail where the customer has consented to invoices being submitted in this manner. Where invoices are sent out using electronic mail they will be deemed to have been received by the customer on the date when they are sent provided that the electronic mail is transmitted between the hours of 9.00 am and 5.00 pm on a day between Monday and Friday not being a Bank Holiday (a Business Day). If the mail is sent to the customer outside of these times then the customer will be deemed to have received the invoice on the next Business Day following.

Aylesford

Unit 5 Larkfield Mill
 Bellingham Way
 Larkfield,
 Aylesford, Kent, ME20 6SQ
Tel: 01622 791100
Fax: 01622 791375

Beckton

Unit 94, Roding Road
 London Industrial Park
 Beckton
 London E6 6LS
Tel: 020 7474 5485
Fax: 020 7474 6374

Bedford

Telford Way, Bedford
 MK42 0PQ
Tel: 01234 761112
Fax: 01234 343584

Birmingham

85 Chester Street
 Aston
 Birmingham B6 4AE
Tel: 0121 380 1600
Fax: 0121 380 1616

Birmingham (West Bromwich)

Unit A, Halfords Park
 Halfords Lane
 Smethwick
 Birmingham B66 1EL
Tel: 0121 565 5700
Fax: 0121 558 3233

Bristol

Units D & E
 Riverside Business Park
 St Annes Road
 St Annes Park
 Bristol BS4 4ED
Tel: 0117 977 7377
Fax: 0117 972 1192

Cardiff

Rhymney River Bridge Road
 Off Newport Road
 Cardiff CF23 9AF
Tel: 029 2049 2435
Fax: 029 2048 0359

Croydon

Unit 9, Beddington Trading Park West
 Bath House Road
 Off Beddington Lane
 Croydon CR0 4TT
Tel: 020 8684 7775
Fax: 020 8683 3660

Edmonton

Unit 14A, Banksia Road
 Edmonton
 London N18 3BF
Tel: 020 8884 3444
Fax: 020 8884 5471

Exeter

The Peach Tree Centre
 Budlake Road
 Marsh Barton
 Exeter EX2 8PY
Tel: 01392 281950
Fax: 01392 281960

Gateshead

Unit A389, Western Avenue
 Team Valley Trading Estate
 Gateshead
 Tyne & Wear NE11 0SZ
Tel: 0191 482 4211
Fax: 0191 482 3500

Glasgow

21 Dava Street
 Glasgow G51 2JA
Tel: 0141 440 6960
Fax: 0141 440 6961

Hayes

Unit 3
 Silverdale Road Industrial Estate
 Silverdale Road
 Hayes
 Middlesex UB3 3BL
Tel: 020 8848 3248
Fax: 020 8561 3483

Leeds

Unit 3
 Elland Road Industrial Park
 Elland Way
 Elland Road
 Leeds LS11 0EY
Tel: 0113 270 0333
Fax: 0113 270 2839

Leicester

Unit 6
 Oakhill Industrial Estate
 Freemans Common
 Euston Street
 Leicester LE2 7ST
Tel: 0116 255 1585
Fax: 0116 255 1745

**Leicester
(Leicester Ceiling Supplies)**

5 Saffron Way
 Leicester LE2 6UP
Tel: 0116 244 0060
Fax: 0116 244 0336

Liverpool

Horn House Lane
 Knowsley Industrial Park
 Liverpool L33 7YQ
Tel: 0151 547 5288
Fax: 0151 547 5299

Luton

Units 11-12
 Stadium Industrial Estate
 Cradock Road
 Luton LU4 0JF
Tel: 01582 594222
Fax: 01582 595222

Manchester

8 Commerce Way
 Kiwi Park
 Trafford Park
 Manchester M17 1HW
Tel: 0161 874 5311
Fax: 0161 874 5312

Norwich

Unit 22/23
 White Lodge Business Park
 Hall Road
 Norwich NR4 6DG
Tel: 01603 766471
Fax: 01603 764685

Nottingham

Unit 3
 Cossall Industrial Estate
 Coronation Road
 Ilkeston DE7 5UA
Tel: 0115 944 1359
Fax: 0115 930 9249

Portsmouth

Unit 4, Harbour Gate
 Business Park
 Southampton Road
 Portsmouth PO6 4BQ
Tel: 023 9222 2050
Fax: 023 9222 2051

Sheffield

Unit 6, Oakham Drive
 Parkwood Industrial Estate
 Rutland Road
 Sheffield S3 9QX
Tel: 0114 276 5764
Fax: 0114 276 2113

**Slough
(Ceiling System Supplies)**

Unit 5, Perth Trading Estate
 Perth Avenue
 Slough SL1 4XX
Tel: 01753 691818
Fax: 01753 694485

Southampton

Unit 8
 Boyatt Wood Industrial Estate
 Goodwood Road, Eastleigh
 Hampshire SO50 4NT
Tel: 023 8062 9992
Fax: 023 8062 9993

Southwark

Unit 6
 Bricklayers Arms Distribution Centre
 Mandela Way
 London SE1 5SR
Tel: 020 7064 4900
Fax: 020 7064 4919

Twickenham

Twickenham Trading Estate
 Rugby Road
 Twickenham TW1 1DQ
Tel: 020 8891 5971
Fax: 020 8892 5218

**Head Office**

17 Europa View, Sheffield Business Park, Sheffield S9 1XH
 t: 0114 2318030 f: 0114 2318031

www.cpdplc.co.uk

A member of **SIG** plc.

CPD08/1135